

Author Index Volume 23, 1989

| | |
|--|-----|
| Anderson, J.L. and Bender, E.E., Nature and origin of Proterozoic A-type granitic magmatism in the southwestern United States of America | 19 |
| Baldelli, C., Franceschelli, M., Leoni, L. and Memmi, I., Ferrimuscovite and celadonite substitutions in muscovite from Fe ³⁺ -rich low-grade psammitic rocks (Northern Apennines, Italy) | 201 |
| Bender, E.E., see Anderson, J.L. and Bender E.E. | 19 |
| Billström, K., see Öhlander, B. et al. | 267 |
| Breitkopf, J.H., see Myers, R.E. and Breitkopf, J.H. | 53 |
| Breitkopf, J.H., Geochemical evidence for magma source heterogeneity and activity of a mantle plume during advanced rifting in the southern Damara Orogen, Namibia | 115 |
| Collins, W.J., Flood, R.H., Vernon, R.H. and Shaw, S.E., The Wuluma granite, Arunta Block, central Australia: An example of in situ, near-isochemical granite formation in a granulite-facies terrane | 63 |
| Condie, K.C., Geochemical changes in basalts and andesites across the Archean-Proterozoic boundary: Identification and significance | 1 |
| Conticelli, S., see Poli, G. et al. | 247 |
| Cowie, J.W., book review of: <i>Precambrian Geology of India</i> (by S.M. Naqvi and J.J.W. Rogers) | 302 |
| Dixon, J.E. and Dixon, T.H., Vesicles, amygdalae and similar structures in fault-generated pseudotachylites – Comment | 225 |
| Dixon, T.H., see Dixon, J.E. and Dixon, T.H. | 225 |
| Flood, R.H., see Collins, W.J. et al. | 63 |
| Franceschelli, M., see Baldelli, C. et al. | 201 |
| Friderichsen, J.D., see Hansen, B.T. and Friderichsen, J.D. | 209 |
| Furnes, H., see Skjerlie, K.P. et al. | 137 |
| Galán, G. and Suárez, O., Cortlanditic enclaves associated with calc-alkaline granites from Tapia-Asturias (Hercynian Belt, northwestern Spain) | 233 |
| Ghezzo, C., see Poli, G. et al. | 247 |
| Gorbatshev, R., preface to "Proterozoic Geochemistry" (special issue) | vi |
| Grocott, J., see Maddock, R.H. et al. | 227 |
| Hälenius, E., see Öhlander, B. et al. | 267 |
| Hansen, B.T. and Friderichsen, J.D., The influence of recent lead loss on the interpretation of disturbed U-Pb systems in zircons from igneous rocks in East Greenland | 209 |
| Hansen, B.T., Persson, P.O., Söller, F. and Lindh, A., The influence of recent lead loss on the interpretation of disturbed U-Pb systems in zircons from metamorphic rocks in southwest Sweden | 123 |
| Hubbard, F.H., The geochemistry of Proterozoic lower-crustal depletion in southwest Sweden | 101 |
| Johansen, R.J., see Skjerlie, K.P. et al. | 137 |
| Kienast, J.-R., see Philippot, P. and Kienast, J.-R. | 179 |
| Larsen, L.M., book review of: <i>Mantle Xenoliths</i> (edited by P.H. Nixon) | 299 |
| Leblanc, M. and Temagout, A., Chromite pods in a lherzolite massif (Collo, Algeria): Evidence of oceanic-type mantle rocks along the West Mediterranean Alpine Belt | 153 |
| Leoni, L., see Baldelli, C. et al. | 201 |
| Lindh, A., see Hansen, B.T. et al. | 123 |
| Lorand, J.P., The Cu-Fe-Ni sulfide component of the amphibole-rich veins from the Lherz and Freychinède spinel peridotite massifs (Northeastern Pyrenees, France): A comparison with mantle-derived megacrysts from alkali basalts | 281 |
| Maddock, R.H., Grocott, J. and van Nes, M., Vesicles, amygdalae and similar structures in fault-generated pseudotachylites — Reply | 227 |
| Memmi, I., see Baldelli, C. et al. | 201 |
| Messiga, B., see Vannucci, R. et al. | 85 |
| Morteani, G., see von Blanckenburg, F. and Morteani, G. | 163 |
| Myers, R.E. and Breitkopf, J.H., Basalt geochemistry and tectonic settings: A new approach to relate tectonic and magmatic processes | 53 |

| | |
|--|-----|
| Oddone, M., see Vannucci, R. et al. | 85 |
| Öhlander, B., Billström, K. and Hålenius, E., Behaviour of rare-earth elements in highly evolved granitic systems: Evidence from Proterozoic molybdenite mineralized aplites and associated granites in northern Sweden | 267 |
| Persson, P.O., see Hansen, B.T. et al. | 123 |
| Phillipot, P. and Kienast, J.-R., Chemical-microstructural changes in eclogite-facies shear zones (Monviso, Western Alps, north Italy) as indicators of strain history and the mechanism and scale of mass transfer | 179 |
| Piccardo, G.B., see Vannucci, R. et al. | 85 |
| Poli, G., Ghezzi, C. and Conticelli, S., Geochemistry of granitic rocks from the Hercynian Sardinia-Corsica batholith: Implication for magma genesis | 247 |
| Price, J.G., book review of: <i>Gold, History and Genesis of Deposits</i> (by R.W. Boyle) | 231 |
| Pyle, D.M., book review of: <i>Volcanic Successions — Modern and Ancient</i> (by R.A.F. Cas and J.V. Wright) | 300 |
| Shaw, S.E., see Collins, W.J. et al. | 63 |
| Skjervlie, K.P., Furnes, H. and Johansen, R.J., Magmatic development and tectonomagmatic models for the Solund-Stavfjord Ophiolite Complex, West Norwegian Caledonides | 137 |
| Söllner, F., see Hansen, B.T. et al. | 123 |
| Suárez, O., see Galán, G. and Suárez, O. | 233 |
| Temagout, A., see Leblanc, M. and Temagout, A. | 153 |
| Tolomeo, L., see Vannucci, R. et al. | 85 |
| van Nes, M., see Maddock, R.H. et al. | 227 |
| Vannucci, R., Messiga, B., Oddone, M., Piccardo, G.B. and Tolomeo, L., Geochemical characteristics of Proterozoic post-orogenic magmatism in the Nagssugtoqidian Mobile Belt of southeast Greenland | 85 |
| Vernon, R.H., see Collins, W.J. et al. | 63 |
| von Blanckenburg, F. and Morteau, G., Crystallization and deformation of amphiboles, and cummingtonite-forming reactions in the garbenschiefs of the Western Tauern Window (Eastern Alps, northeast Italy-western Austria) | 163 |

